

SCOTTOIL ORIGINAL

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
□□□□□□□□: 28/10/2013 □□□□□□□□□□□□□□□□□□□□: 27/03/2025 □□□□□□: 2.0

1: / /

1.1. □□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□	:	□□□□□□□□
□□□□□□□□□□□□□□	:	SCOTTOIL ORIGINAL
□□□□□□□□□□□□□□	:	07180
□□□□□□□□□□□□□□	:	Use in lubricants
□□□□□□□□□□□□□□	:	□□□□□
□□□□□□□□□□□□□□	:	This product must not be used in applications other than those recommended in Section 1.2.1, without first seeking the advice of the supplier.

[illegible]

□□□□□□□□□□	□□□□□□□□□□
Scottoiler (Scotland) Ltd.	EU Authorised Representative
2, Riverside	ROCK OIL (Germany)
Milngavie	Bahnstr. 90
G62 6PL Glasgow	55239 Gau-Odernheim
T +44 (0)141 955 1100 (9am-5pm Mon-Fri except Bank Holidays) (9 Uhr - 17	Germany
Uhr Mo - Fr außer an Feiertagen)	techde@scottoiler.com
technical@scottoiler.com	

1.4. □□□□□□□□□□□□□□□□

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ : +44 (0)141 955 1100 (9am-5pm Mon-Fri except Bank Holidays) (9 Uhr - 17 Uhr Mo - Fr außer an Feiertagen)

□□□ 2: □□□□□□□□□□□□□□□□

2.1. □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

Not expected to present a significant hazard under anticipated conditions of normal use.

2.2. □□□□□□□□□□□□□□

[illegible]

2.3. □□□□□□□□□□

[illegible]

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

REACH 59(1) REACH
REACH
REACH
REACH (EU) 2017/2100 REACH (EU) 2018/605
REACH 0.1 %

3: /

3.2. □□□□□□□□

	 	%	 (EC) [CLP]
Distillates (petroleum), hydrotreated heavy naphthenic	 CAS: 64742-52-5 EC: 265-155-0	25 – 35	Asp. Tox. 1, H304

และข้อความแสดงความเป็นอันตรายโดยประเทศในสหภาพยุโรปภายใต้ระบบการจำแนกประเภท การติดฉลาก (CLP (Classification, Labelling and Packaging) -specific Hazard Statement: EUH-statement): ดินเหนียวที่ 16

4:

4.1.

□□□□□□□□□□□□□□□□□□□□ □□□□□□	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□	: Allow affected person to breathe fresh air. Allow the victim to rest.
□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□	: □□□□□□□. □□□□□□□□□□□□□□□□□□. Obtain emergency medical attention.

□□□□/□□□□□□□□ : Not expected to present a significant hazard under anticipated conditions of normal use.

Treat symptomatically.

5: □□□□□□□□□□□□□□□□

5.1. □□□□□□□□

□□□□□□□□□□□□□□□□□□	:	Foam. Dry powder. Carbon dioxide. Water spray. Sand.
□□□□□□□□□□□□□□□□□□	:	Do not use a heavy water stream.

5.2.

[illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

- : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

[illegible]

: Do not enter fire area without proper protective equipment, including respiratory protection.

[illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □ □

: Avoid contact with skin and eyes.

□ □ □ □ □ □ □ □ □ □ □ □ □ □

: Evacuate unnecessary personnel.

□ □ □ □ □ □ □ □ □ □ □ □ □ □

: Equip cleanup crew with proper protection.

□ □ □ □ □ □ □ □ □ □ □ □ □ □

: Ventilate area.

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

11/11/11

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. □□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□.

See Section 8. Exposure controls and personal protection.

7.1.

□ □

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

5/5

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

[illegible][illegible]

: Oxidizing agent. Strong acids. Strong bases.

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

: Sources of ignition. Direct sunlight.

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

: 0 – 40 °C

Lubricant oil.

8.1. □□□□□□□□□□□□□□□□

[illegible]

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

- ACGIH -

ACGIH OEL TWA 5 mg/m³ □□□□□□□□□□□□□□, □□□□□

8.2. □□□□□□□□□□□□□□□□

[illegible][illegible]

Ensure exposure is below occupational exposure limits (where available).

[illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ :

Avoid all unnecessary exposure. Gas mask with filter type A at conc. in air > 5 ppm. Gloves. Nitrile rubber gloves. In case of splash hazard: safety glasses.

[illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

□ □ □ □ □ □ □ □ □ □ □ □ :

If there is a risk of liquid being splashed : Standard EN 166 - Personal eye-protection. Chemical goggles or safety glasses

Skin protection

[illegible][illegible]

□ □ □ □ □ □ □ □ □ □ □ □ :

Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly.

Application of a non-perfumed moisturizer is recommended.

For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same, but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm depending on the glove make and model.

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

: _____

In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate mask

CC BY-NC-SA

_____:

Not specifically applicable.

[illegible]

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

[illegible]

□□□ 6.

□ □ □ □ □ □ □ □ □ □ :

Do not eat, drink or smoke during use.

9:

9.1. □□□

□□□□□□□□□□	: □□□□□□
□□	: Blue.
□□□□□□□□	: Mobile liquid.
□□□□	: characteristic.
□□□□□□□□□□□□□□□□□□□□□□□□	: □□□□□□□□
□□□□□□□□□□	: □□□□□□□□
□□□□□□□□□□	: □□□□□□□□
□□□□□□□□□□	: > 280 °C IBP
□□□□□□□□	: Non flammable.
□□□□□□□□□□□□□□□□□□□□	: □□□□□□□□□□□□□□.
□□□□□□□□□□□□□□□□□□□□	: □□□□□□□□□□□□□□.
□□□□□□□□□□□□□□□□□□□□□□□□	: □□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□	: □□□□□□□□□□
□□□□□□□□	: > 210 °C PMCC
□□□□□□□□□□□□□□□□□□□□□□□□	: > 320 °C
□□□□□□□□□□□□□□□□□□□□□□□□	: □□□□□□□□
pH	: Not classifiedNot classified
□□□□□□□, □□□□□□□□□□	: 64 mm²/s @40°C
□□□□□□□□□□□□□□□□□□□□	: Insoluble in water. Soluble in aliphatic hydrocarbons.
Partition coefficient n-octanol/water (Log Kow)	: □□□□□□□□
□□□□□□□□□□□□□□	: < 0.5 kPa @ 20°C
□□□□□□□□□□□□□□□□□□□□□□□□ 50°C	: □□□□□□□□□□
□□□□□□□□□□□□	: □□□□□□□□□□
□□□□□□□□□□□□□□□□	: 0.88 kg/l @ 15°C
□□□□□□□□□□□□□□□□□□□□□□□□	: □□□□□□□□□□
□□□□□□□□ 20°C	
□□□□□□□□□□□□□□□□□□□□□□□□	: □□□□□□□□□□

9.2. □□□□□□□□□□

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

□□□□□□□□ VOC : 0 %

10:

10.1. □□□□□□□□□□□□□□

No reactivity hazard other than the effects described in sub-sections below.

10.2. □□□□□□□□□□□□□□

Not established.

10.3.

Not established.

10.4.

Direct sunlight. Extremely high or low temperatures.

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Oxidizing agent. Strong acids. Strong bases.

fume. Carbon monoxide. Carbon dioxide.

11.1. (EC) 1272/2008

[illegible]

SCOTTOIL ORIGINAL	
□□□□□□, □□□□□□□□	64 mm²/s @40°C

[illegible]

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.1. □□□□□□□□□□

□□□□□□□□□□ - □□□□□□ : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

12.2.

SCOTTOIL ORIGINAL

□□□□□□□□ □□□ □□□□□□□□□□□□□□	Not readily biodegradable. Not established.
-----------------------------	---

Distillates (petroleum), hydrotreated heavy naphthenic (64742-52-5)

Rapidly degradable

12.3.

SCOTTOIL ORIGINAL

	Not established.
-------------	------------------

12.4. □□□□□□□□□□□□□□□□

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

12.5. □□□□□□□□□□ PBT □□□ vPvB

SCOTTOIL ORIGINAL

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ PBT	Not classified as PBT or vPvB.
--	--------------------------------

12.6.

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

12.7. □□□□□□□□□□□□□□□□□□□□

SCOTTOIL ORIGINAL

13:

13.1. □□□□□□□□□□□□□□□□□□□□□□

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ : Dispose in a safe manner in accordance with local/national regulations.

□□□□□/□□□□□□□□

[illegible]

14:

□□□□□□ ADR / IMDG / IATA / ADN / RID

14.1. **UN ID**

[illegible]

SCOTTOIL ORIGINAL

□□□□□□□□□□□□□□□□

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.2. □□□□□□□□□□□□□□□□□□□□ UN

□□□□□□□□□□□□□□□□□□ (ADR) : □□□□□□□□
□□□□□□□□□□□□□□□□□□ (IMDG) : □□□□□□□□
□□□□□□□□□□□□□□□□□□ (IATA) : □□□□□□□□
□□□□□□□□□□□□□□□□□□ (ADN) : □□□□□□□□
□□□□□□□□□□□□□□□□□□ (RID) : □□□□□□□□

14.3. □□□□□□□□□□□□□□□□□□□□

ADR
□□□□□□□□□□□□□□□□□□□□ (ADR) : □□□□□□□□

IMDG
□□□□□□□□□□□□□□□□□□□□ (IMDG) : □□□□□□□□

IATA
□□□□□□□□□□□□□□□□□□□□ (IATA) : □□□□□□□□

ADN
□□□□□□□□□□□□□□□□□□□□ (ADN) : □□□□□□□□

RID
□□□□□□□□□□□□□□□□□□□□ (RID) : □□□□□□□□

14.4. □□□□□□□□□□□□

□□□□□□□□□□ (ADR) : □□□□□□□□
□□□□□□□□□□ (IMDG) : □□□□□□□□
□□□□□□□□□□ (IATA) : □□□□□□□□
□□□□□□□□□□ (ADN) : □□□□□□□□
□□□□□□□□□□ (RID) : □□□□□□□□

14.5. □□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□ : □□□□□□□□□□□□□□□□□□□

14.6. □□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□
□□□□□□□□□□

□□□□□□□□□□□□□□
□□□□□□□□□□

□□□□□□□□□□□□□□
□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□

□□□□□□□□□□□□□□
□□□□□□□□□□

14.7. □□□□□□□□□□□□□□□□□□□□□□□□ IMO

□□□□□□□□

[illegible]

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

□ □

REACH XVII ()

REACH XVII ()

REACH □□□□□□□□□□□□ XIV (□□□□□□□□□□□□□□□□□□□□□□)

REACH XVII ()

□□□□□□□□□□□□□□□□ (SVHC)

REACH

PIC

PIC (EU 649/2012)

□□□□□□□□ **POP** (□□□□□□□□□□□□□□□□□□□□)

POP (EU 2019/1021)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

[illegible]

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

□□□□□ VOC (2004/42)

□□□□□□□□ VOC : 0 %

□□□□□□□□□□□□□□ (2019/1148)

(EU 2019/1148)

[illegible][illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

Page 10 of 10

[illegible]

: (12. BImSchV)

□□□□□□□□ (12. BImSchV)

□□□□□□□□ VOC : 0 %

□ □ □ □ □ □ □ □

[illegible][illegible][illegible][illegible][illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5/5

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

[illegible]

15.2.

No chemical safety assessment has been carried out

□□□ **16:** □□□□□□□□□□□□

□ □ □ □ □ □ □ □ □ □ □

: □□□□□□ (EC) □□□□ 1272/2008 □□□□□□□□□□□□□□ □□ □□□□
□□□□ □□□□□□□□ 16 □□□□ 2008 □□□□□□□□□□□□□□□□, □□□□□□
□□□□□□ □□ □□□□□□□□□□□□□□ □□ □□□□□□□□, □□□□□□□□□□
□□ □□□□□□□□□□□□□□ 67/548/EEC □□ 1999/45/EC, □□□ □□□□□□□□□□□□
(EC) □□□□ 1907/2006.

10000000000

•

[illegible]

□□□□□□□□□□□□□□□□□□□□ (SDS), □□□□□□□□□□□□□□ (EU)